



Fireware XTM v11.8.3 CPS 1 Release Notes

| | |
|---------------------------------|---|
| Supported Devices | XTM 3, 5, 8, 800, 1500, and 2500 Series, XTM 25, XTM 26, XTM 1050, XTM 2050, Firebox T10, XTMv, WatchGuard AP |
| Fireware XTM OS Build | 444445 |
| WatchGuard System Manager Build | 444590 |
| Revision Date | March 21, 2014 |

Software Available for Download

To download software for this CSP release, go to:

ftp.watchguard.com/11.8.3_CSP/CSP1/

Username: XTM_CSP

Password: S0NofTr1ton

WSM v11.8.3 or higher is needed to manage a device running Fireware XTM v11.8.3 CSP. Fireware XTM OS v11.8.3 CSP releases are cumulative. A description of available software files is included below the Resolved Issues section.

Resolved Issues in CSP 1 (Build 444445)

- *[BUG78328]* Proxies have been correctly updated to recognize TLSv1.2 so that HTTPS traffic is correctly blocked through the TCP-UDP proxy.
- *[RFE76194]* Google HTTPS websites now load correctly through the HTTPS proxy with DPI enabled if there is no response from the OCSP check.
- *[BUG78942, BUG78829]* This release resolves an issue that caused Path MTU for BOVPN traffic to work incorrectly in Fireware XTM v11.8 releases.
- *[BUG79208]* The maximum number of BOVPN routes per tunnel has been increased from 128 to 256.
- *[BUG77669]* An issue has been resolved that caused RDP/Citrix User authentication to stop working after an undetermined time.
- *[BUG78854]* A crash that resulted in this log message "Kernel Panic EIP is at e1000e_free_rx_resources+0xfc0/0x14ec [e1000e]" has been resolved.
- *[BUG78441]* You can now complete the FTP-proxy "LIST" command when going through a tagged VLAN.
- *[RFE78363]* This release adds USB modem support for Sierra Wireless, AT&T Mobile Hotspot Elevate 4G.
- *[BUG77846]* HTTPS-Proxy traffic, when DPI is enabled, no longer fails when browsing to some sites.



- [BUG78216] A crashing problem that caused the log message “BUG: sleeping function called from invalid context EIP is at nl_pid_hash_rehash+0x7c/0xd3” has been resolved
- [BUG78798, BUG78799, BUG78454] Several kernel crashes have been resolved in this release.
- [BUG75734, BUG60142] This release resolves a memory leak triggered by continuous configuration changes using the CLI.
- [BUG78734] This release resolves an issue that prevented successful configuration saves after an upgrade to v11.8.1 because of invalid dynamic routing configuration settings.

Resolved Issues in WSM v11.8.3 CSP 1 (Build 444590)

- [RFE78094] This release adds the ability to move a managed device to an existing device folder by right-clicking from the device.
- [BUG78643] This release resolves an Apache crash when using the Management Server.

Available Files in this CSP Release

| Software file | For Device Model | Information |
|------------------------------------|--------------------------------|---|
| WSM11_8_3.exe | All Firebox and XTM devices | WatchGuard System Management software |
| XTM_OS_XTM800_1500_2500_11_8_3.exe | XTM 800, 1500, or 2500 devices | Appliance software to install sysa-dl file on your computer to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_XTM2050_11_8_3.exe | XTM 2050 devices | Appliance software to install sysa-dl file on your computer to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_XTM1050_11_8_3.exe | XTM 1050 devices | Appliance software to install sysa-dl file on your computer to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_XTM8_11_8_3.exe | XTM 8 Series devices | Appliance software to install sysa-dl file on your computer to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_XTM5_11_8_3.exe | | Appliance software to install sysa-dl file on your computer |



| | | |
|--------------------------|--|---|
| | | to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_XTM330_11_8_3.exe | | Appliance software to install sysa-dl file on your computer to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_XTM33_11_8_3.exe | | Appliance software to install sysa-dl file on your computer to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_XTM2A6_11_8_3.exe | | Appliance software to install sysa-dl file on your computer to upload to your XTM device using Policy Manager or the XTM Web UI |
| XTM_OS_T10_11_8_3.exe | | Appliance software to install sysa-dl file on your computer to upload to your Firebox using Policy Manager or the XTM Web UI |
| XTMv_11_8_3.ova | | File to do initial installation of XTMv for VMware |
| xtmv_11_8_3_vhd.zip | | File to do initial installation of XTMv for Hyper-V |
| XTM_OS_XTMV_11_8_3.exe | | File to upgrade an existing XTMv installation. Applies to VMware and Hyper-V installations. |